

[Close this window](#)

SDS

**Common Name:** SKILCRAFT MEDIUM LINE OIL BASE PAINT MARKER - GREEN**Manufacturer:** SKM INDUSTRIES**SDS Revision Date:** 12/5/2014**SDS Format:** GHS-US**Item Number(s):** 54ZF01**Manufacturer Model Number(s):**

## SDS Table of Contents

Click the desired link below to jump directly to that section in the SDS.

- [1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION](#)
- [2. HAZARDS IDENTIFICATION](#)
- [3. COMPOSITION / INFORMATION ON INGREDIENTS](#)
- [4. FIRST AID MEASURES](#)
- [5. FIRE-FIGHTING MEASURES](#)
- [6. ACCIDENTAL RELEASE MEASURES](#)
- [7. HANDLING AND STORAGE](#)
- [8. EXPOSURE CONTROLS/PERSONAL PROTECTION](#)
- [9. PHYSICAL AND CHEMICAL PROPERTIES](#)
- [10. STABILITY AND REACTIVITY](#)
- [11. TOXICOLOGICAL INFORMATION](#)
- [12. ECOLOGICAL INFORMATION](#)
- [13. DISPOSAL CONSIDERATIONS](#)
- [14. TRANSPORT INFORMATION](#)
- [15. REGULATORY INFORMATION](#)
- [16. OTHER INFORMATION](#)

SKM

SAFETY DATA SHEET

ISSUING DATE: DECEMBER 5, 2014

REVISION DATE: DECEMBER 5, 2014

REVISION NUMBER: 0

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION



AND THE COMPANY UNDERTAKING

GHS PRODUCT IDENTIFIER:

PRODUCT NAME: SKILCRAFT MEDIUM LINE OIL BASE PAINT MARKER - GREEN

OTHER MEANS OF IDENTIFICATION:

PART NUMBER: 7520-01-588-9101

COLORS: GREEN

FORMULA CODE: SKM104

SYNONYMS: NONE

RECOMMENDED USE OF THE CHEMICAL AND RESTRICTIONS ON USE:

RECOMMENDED USE: MARKER

USES ADVISED AGAINST: NO INFORMATION AVAILABLE

SUPPLIER'S DETAILS:

SUPPLIER ADDRESS:  
SKM INDUSTRIES INC.  
1012 UNDERWOOD ROAD  
OLYPHANT, PA 18447

TELEPHONE: 570-383-3062

EMERGENCY TELEPHONE NUMBER:

CHEMTREC:

US: 800-424-9300

INTERNATIONAL: 703-527-3887

## 2. HAZARDS IDENTIFICATION



CLASSIFICATION:

THIS CHEMICAL IS CONSIDERED HAZARDOUS ACCORDING TO THE OSHA HAZARD COMMUNICATIONS STANDARD 2012 (29 CFR 1910.1200)

FLAMMABLE LIQUID CATEGORY 3

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS:

EMERGENCY OVERVIEW:

SIGNAL WORD: WARNING

HAZARD STATEMENTS:

SKIN IRRITATION

EYE IRRITATION

RESPIRATORY IRRITATION

MAY BE HARMFUL IF SWALLOWED

FLAMMABLE LIQUID AND VAPOR

EXCLAMATION MARK

FLAME

APPEARANCE: OPAQUE, VARIES

PHYSICAL STATE: THIN VISCOSITY LIQUID

ODOR: AROMATIC ODOR

PRECAUTIONARY STATEMENTS:

PREVENTION:

DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD

KEEP CONTAINER TIGHTLY CLOSED

AVOID BREATHING DUST/VAPORS/FUMES

WASH FACE AND HANDS AND ANY EXPOSED SKIN THOROUGHLY AFTER HANDLING

WEAR PROTECTIVE GLOVES/CLOTHING/EYE PROTECTION/FACE PROTECTION

USE PERSONAL PROTECTION AS REQUIRED

## GENERAL ADVICE:

IF EXPOSED OR CONCERNED: GET MEDICAL ATTENTION/ADVICE

## ACUTE HAZARD:

AT HIGH CONCENTRATION, DIZZINESS AND UNCONSCIOUSNESS MAY OCCUR.

## CAUTION:

CONTAINS XYLENE. HARMFUL OR FATAL IF SWALLOWED. DIRECT CONTACT MAY CAUSE SKIN OR EYE IRRITATION. KEEP OUT OF REACH OF CHILDREN.

## EYES:

RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES IF PRESENT. CONTINUE RINSING. IF IRRITATION PERSISTS SEEK MEDICAL ATTENTION/ADVICE.

## SKIN:

REMOVE CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER. IF IRRITATION PERSISTS SEEK MEDICAL ATTENTION/ADVICE.

## INHALATION:

REMOVE PATIENT TO FRESH AIR AND KEEP AT REST IN A COMFORTABLE POSITION FOR BREATHING. SEEK MEDICAL ATTENTION IMMEDIATELY

INGESTION: IF ACCIDENTALLY SWALLOWED SEEK MEDICAL ATTENTION IMMEDIATELY

FIRE: USE CO<sub>2</sub>, DRY CHEMICAL, FOAM, OR WATER SPRAY

SPILLS AND LEAKS: CONTAIN AND COLLECT SPILLAGE

## STORAGE:

STORE IN DRY WELL VENTILATED PLACE. KEEP TIGHTLY SEALED. PREVENT UNAUTHORIZED ACCESS.

DISPOSAL: DISPOSE OF CONTENTS/CONTAINER IN APPROVED WASTE DISPOSAL PLANT

HAZARD NOT OTHERWISE CLASSIFIED (HNOC): NOT APPLICABLE

### 3. COMPOSITION / INFORMATION ON INGREDIENTS



CHEMICAL NAME	CAS-NO	WEIGHT %	TRADE SECRET
XYLENE	1330-20-7	*	*
TITANIUM DIOXIDE	13463-67-1	*	*
RESIN	PROPRIETARY	*	*
COLORANT	PROPRIETARY	*	*

\* THE EXACT PERCENTAGE (CONCENTRATION) OF COMPOSITION HAS BEEN WITHHELD AS A TRADE SECRET.

### 4. FIRST AID MEASURES



DESCRIPTION OF NECESSARY FIRST-AID MEASURES:

## GENERAL ADVICE:

IN CASE OF DOUBT, OR WHEN SYMPTOMS PERSIST, SEEK MEDICAL ATTENTION.

## EYE CONTACT:

IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST FIFTEEN (15) MINUTES. GET MEDICAL ATTENTION IMMEDIATELY.

## SKIN CONTACT:

FLUSH SKIN WITH PLENTY OF WATER. REMOVE CONTAMINATED CLOTHING. WAS SKIN THOROUGHLY WITH SOAP AND WATER OR USE A PROPRIETARY SKIN CLEANSER.

## INHALATION:

REMOVE TO FRESH AIR, KEEP PATIENT WARM AND AT REST. IF BREATHING IS IRREGULAR SEEK MEDICAL ADVICE. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. SEEK MEDICAL ATTENTION IMMEDIATELY.

## INGESTION:

SEEK MEDICAL ATTENTION IMMEDIATELY. DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

PROTECTION OF FIRST AIDERS: USE PERSONAL PROTECTION EQUIPMENT.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED:

MOST IMPORTANT SYMPTOMS/EFFECTS: NO INFORMATION AVAILABLE

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY:

NOTE TO PHYSICIAN: TREAT SYMPTOMATICALLY

## 5. FIRE-FIGHTING MEASURES



## SUITABLE EXTINGUISHING MEDIA:

DRY CHEMICAL, CARBON DIOXIDE, REGULAR FOAM. FOR LARGE FIRES, USE FOAM OR FLOOD WITH FINE WATER SPRAY

UNSUITABLE EXTINGUISHING MEDIA: NO INFORMATION AVAILABLE

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: NO INFORMATION AVAILABLE

FLASH POINT: 70 DEG. F

## FLAMMABILITY LIMITS (% BY VOLUME):

LOWER: 1.1%

UPPER: 6.4%

UNUSUAL FIRE EXPLOSION HAZARDS: NONE

## PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS:

WEAR APPROPRIATE SELF-CONTAINED BREATHING APPARATUS MSHA/NIOSH (APPROVED OR EQUIVALENT) AND FULL PROTECTIVE GEAR. COOL CLOSED CONTAINERS EXPOSED TO FIRE WITH WATER SPRAY. AVOID INHALATION OF MATERIAL OR COMBUSTION BY-PRODUCTS; STAY UPWIND.

## 6. ACCIDENTAL RELEASE MEASURES



PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

## PERSONAL PRECAUTIONS:

AVOID BREATHING VAPOURS. EVACUATE PERSONNEL TO SAFE AREAS. ENSURE ADEQUATE VENTILATION.

## ENVIRONMENTAL PRECAUTIONS:

AVOID RELEASE INTO THE ENVIRONMENT. DO NOT ALLOW TO ENTER DRAINS OR WATERCOURSES.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:

## METHODS FOR CONTAINMENT:

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO.

## METHODS FOR CLEANING UP:

CONTAIN THE SPILLAGE WITH NON-COMBUSTIBLE ABSORBENT MATERIALS SUCH AS SAND, EARTH, VERMICULITE, DIATOMACEOUS EARTH TO SOAK UP THE PRODUCT AND PLACE IN A SUITABLE CONTAINER FOR DISPOSAL IN ACCORDANCE WITH THE WASTE REGULATIONS

**7. HANDLING AND STORAGE**

## PRECAUTIONS FOR SAFE HANDLING:

## HANDLING:

AVOID SKIN AND EYE CONTACT. AVOID THE INHALATION OF VAPOR AND MIST.

## CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

## STORAGE:

KEEP AWAY FROM OPEN FLAME, HOT SURFACES AND SOURCES OF IGNITION. KEEP CONTAINERS TIGHTLY CLOSED. OBSERVE LABEL PRECAUTIONS. STORE BETWEEN 5-25 DEG. C IN A DRY, WELL VENTILATED PLACE. PREVENT UNAUTHORIZED ACCESS.

INCOMPATIBLE PRODUCTS: UNKNOWN

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## APPROPRIATE ENGINEERING CONTROLS:

ENGINEERING MEASURES: SHOWERS, EYEWASH STATIONS, VENTILATION SYSTEMS

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT:

EYE/FACE PROTECTION: NONE UNDER NORMAL USE CONDITIONS

SKIN AND BODY PROTECTION: NONE UNDER NORMAL USE CONDITIONS

## RESPIRATORY PROTECTION:

NONE UNDER NORMAL USE CONDITIONS. IF IRRITATION IS EXPERIENCED, NIOSH/MSHA APPROVED RESPIRATORY PROTECTION SHOULD BE WORN

## HYGIENE MEASURES:

USE IN A WELL-VENTILATED AREA. WHEN USING DO NOT EAT, DRINK, OR SMOKE. PROVIDE REGULAR CLEANING OF EQUIPMENT, WORK AREAS AND CLOTHING.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

## INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

PROPERTY	VALUE
BOILING POINT	282 TO 286 DEG. F
SPECIFIC GRAVITY (H <sub>2</sub> O=1) @ 70 DEG. F	>1
VAPOR PRESSURE (MM-Hg @ 70 DEG. F)	NO DATA
MELTING POINT	NO DATA
VAPOR DENSITY (AIR = 1)	GREATER THAN ONE (1)
EVAPORATION RATE (BUTYL ACETATE = 1)	LESS THAN ONE (1)

SOLUBILITY IN WATER	NEGLIGIBLE
PH	NO DATA
APPEARANCE AND ODOR	OPAQUE, THIN VISCOSITY LIQUID WITH AROMATIC ODOR.
VOLATILE ORGANIC COMPOUND	705 GRAMS PER LITER

## 10. STABILITY AND REACTIVITY



REACTIVITY: NO DATA AVAILABLE

CHEMICAL STABILITY: STABLE UNDER NORMAL STORAGE AND HANDLING CONDITIONS

POSSIBILITY OF HAZARDOUS REACTIONS: NONE UNDER NORMAL USE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

CONDITIONS TO AVOID: HEAT, OPEN FLAME, SPARKS, AND SOURCES OF IGNITION

INCOMPATIBLE MATERIALS:

STRONG OXIDIZING AND REDUCING AGENTS, STRONG ALKALIS AND STRONG ACIDS

HAZARDOUS DECOMPOSITION-PRODUCTS:

CARBON DIOXIDE, CARBON MONOXIDE, SMOKE, SOOT AND VARIOUS OXIDATION BY-PRODUCTS.

## 11. TOXICOLOGICAL INFORMATION



INFORMATION ON LIKELY ROUTES OF EXPOSURE:

PRODUCT INFORMATION:

NONE AVAILABLE. THERE IS NO DATA AVAILABLE ON THE PRODUCT ITSELF.

## 12. ECOLOGICAL INFORMATION



ECOTOXITY: THERE IS NO DATA AVAILABLE ON THE PRODUCT ITSELF

## 13. DISPOSAL CONSIDERATIONS



WASTE DISPOSAL METHODS:

DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

CONTAMINATED PACKAGING: DO NOT RE-USE EMPTY CONTAINERS.

## 14. TRANSPORT INFORMATION



ORM-D CONSUMER COMMODITY

FLAMMABLE LIQUID, N.O.S. (XYLENE), 3, UN1993, PGIII, (26.1 C), LTD. QTY, EMS# 3-07

CONSUMER COMMODITY, 9, ID 8000, PACKING INSTRUCTION 910

## 15. REGULATORY INFORMATION



### TSCA INVENTORY:

THE PRODUCT ON THIS SDS IS NOT LISTED ON THE TOXIC SUBSTANCES CONTROL ACT INVENTORY. ALL INGREDIENTS USED TO MANUFACTURE THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY.

## 16. OTHER INFORMATION



HEALTH HAZARD	2
FLAMMABILITY	3
REACTIVITY	0
PERSONAL PROTECTION	B

SKM HAS BEEN ADVISED BY ATTORNEY THAT THE OSHA HAZARD COMMUNICATION STANDARD DOES NOT APPLY TO THE SKM PRODUCTS LISTED IN THIS SDS. THE EXPLANATION FOR THE EXEMPTION IS CONTAINED IN 29 CFR 1910.1200(B) (6) (IX) AS AMENDED JULY 1, 2002 PER THE CODE OF FEDERAL REGULATIONS. THIS INFORMATION CONTAINED IN THIS MSDS IS FORWARDED TO YOU FOR YOUR INFORMATION, BUT IS NOT MEANT TO IMPLY THAT THE HAZARD COMMUNICATION STANDARD COVERS THE PRODUCT NOR IS THIS SDS MEANT TO COMPLY WITH ALL REQUIREMENTS OF THE HAZARD COMMUNICATION STANDARD.